

Thank you for your enquiry with iBuild. To help us ensure we are providing you with the right product and the best price available please answer the following ESSENTIAL questions. You can return this form by email, fax (03) 8677 1111, or mail to iBuild Estimation Manager, 5a Hartnett Close, Mulgrave, VIC 3170.

1 CONTACT DETAILS

| | | | |
|-------------------------------------|--------------------|---------------------------------|----------|
| Name | Phone | | |
| Email | iBuild Rep. | Date | |
| Site Location/Address | | | |
| Nearest Major Shipping Port | | | |
| Do you own the land already? | Yes | No I'm expecting to purchase in | x months |

2 PROJECT DETAILS

| | | | |
|---|---|---|---|
| Describe Your Proposed Project: | (E.g. Residential, warehouse, mobile office, retail, worker/tourist accommodation) | | |
| | (notes) | | |
| Which iBuild series have you chosen? | Conventional Build (traditional build with timber/steel frame, materials 100% sourced in Australia) | Modular Build (flatpack delivery with core structure pack and Bunning's companion pack) | (volumetric typically with kitchen/bathroom built in a factory) |
| | Kit Homes | TransPack LekoFly | InstantSlide ButterFly |
| Which iBuild design have you chosen? | Standard iBuild Design | Standard iBuild Design w/ Minor Changes (please include marked-up floor plan) | Custom Plan (conditions apply*) |
| | | (design chosen) | |
| Delivery: | 3 - 6 Months | 6 - 12 Months | 12+ Months |
| Budget: | (notes) | | |
| How will you fund the project? | Funds available | Finance approved | I can provide proof of funds |
| Do you require fitout? | Flatpack Kit Lockup Lining Final Elevated Sub Floor System | Modular Building Only Internal Walls & Doors Kitchen Bathroom Laundry | Optional Furniture Package Other, please specify: (other) |

3 IMPORTANT DESIGN QUESTIONS

Please let us know as much information as you can about your plans for your new dwelling and our design and technical team will work with you to bring your plans into reality!

| | | | |
|---|--|---------------------------|--|
| Building Envelop: | Determined by Site Plan (other) | | |
| Slope of Site: | Determined by Site Plan (other) | | |
| Snow Loading: | No (other) | | |
| Heritage Area: | Yes | No | |
| Bush Fire Zoning: | BAL-LOW BAL-29 | BAL-12.5 BAL-40 | BAL-19 FZ |
| Wind Rating: | N1 N4 C3 | N2 C1 C4 | N3 C2 |
| Main Features: (Please include no.) | x Storeys | x Bedrooms | x Bathrooms |
| Sub Floor: | Concrete Slab | Elevated timber sub floor | Elevated steel sub floor <small>(please specify off ground floor level)</small> |

4 NOTES / COMMENTS

(please include any additional notes relevant to your project)

You can return this form by email (info@i-build.com.au), fax (03) 8677 1111, or mail to iBuild Estimation Manager (5a Hartnett Close, Mulgrave, VIC 3170).



The following section (page 3-4) is only relevant to the supply of **kit home products only**.
Complete page 3-4 if you are interested in one of our **kit home products**.
Leave page 3-4 blank if you are interested in one of our **modular products**.

5 KIT HOME QUESTIONS

To what stage do you need iBuild to supply?

LU - Lockup
(Above floor level) [↗](#)

LN - Lining
(Plasterboard, Doors, etc.) [↗](#)

FN - Final
(Kitchen & Bathroom) [↗](#)

Optional Additional Kits:

FL - Floor
(Optional floor kit) [↗](#)

SB - Shower Base
(In-situ base ie. tiled with ~30mm set-down)

Floor Covering:

(DIFY only - Optional upgrade for DIY)

Dry Area

Carpet

Floating timber floor

Tiles

Vinyl

(other)

(other)

Wet Area

Wall Frame:

Timber frame 90mm

Steel frame 90mm
(optional upgrade)

External Cladding:

Standard FC weatherboards 230mm smooth or similar (e.g. Primaplank, Duralank, Hardiepank)

Upgrade to Hardwood weatherboards 200m smooth or similar (e.g. Weathertex Primelok)

Upgrade to AAC light weight concrete cladding (e.g. Hebel Power Panel 50 or XL)

(other)

Windows & Doors:

Powder coated aluminium windows

Solid external doors

Sectional panel lift garage door (if app.)

(other)

Internal Cladding:

Standard 10mm plasterboards

(other)

Ceiling:

Standard 2400mm throughout

(other)

Roof Material:

Standard colorbond sheetings

(other)

Roof Type:

Hip

Gable

Mono pitch skillion
Dual pitch skillion

Standard 20° roof pitch

(other)

Eave:

Standard 450mm

(other)



The following section (page 3-4) is only relevant to the supply of **kit home products only**.
Complete page 3-4 if you are interested in one of our **kit home products**.
Leave page 3-4 blank if you are interested in one of our **modular products**.

5 ADDITIONAL COMMENTS

Kitchen:

Laundry:

Outdoor Living:

Veranda:

Garage:

**Other Special
Features:**

You can return this form by email (info@i-build.com.au), fax (03) 8677 1111, or mail to iBuild Estimation Manager (5a Hartnett Close, Mulgrave, VIC 3170).

If within a browser, please save as a PDF file by right clicking your mouse "**Save As**" or "**Save Page As**"